

# CITY OF APALACHICOLA

## SIDEWALK PERMIT APPLICATION

Applicant: \_\_\_\_\_ email: \_\_\_\_\_

Mailing Address: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Business Name: \_\_\_\_\_

Business Address: \_\_\_\_\_

Business Federal Tax ID# \_\_\_\_\_

City of Apalachicola Business License: \_\_\_\_\_

Name & Address of Adjacent Businesses: \_\_\_\_\_ Ph#: \_\_\_\_\_

Type of Business: \_\_\_\_\_

Type of Ownership: (e.g Sole Proprietor, Corporation, Partnership, LLC). \_\_\_\_\_

**By signing this permit, the permittee agrees to indemnify, defend, save, and hold harmless the City of Apalachicola, its Officers, and Employees of/from and against any and all claims, liability, lawsuits, damages and cause of action which may arise out of the permit or the permittee activity on the permitted premises or adjacent thereto or invitees of the permittee.**

The permittee agrees to meet and maintain for the entire permit period, at its own expense, the following:

1. Commercial General Liability Insurance in the amount of \$1,000,000,000.00 per occurrence for Bodily Injury and Property Damage. The City of Apalachicola must be name as additional Insured on this policy and a Certificate of Insurance containing an endorsement must be issued as part of the policy.
2. For commercial operations permitted which serve alcoholic beverages an Alcohol-License Liability Insurance in the amount of \$1,000,000.00 per occurrence for Bodily Injury and property Damage. The City of Apalachicola must be named as additional Insured on this policy and a Certificate of Insurance containing an endorsement must be issued as part of the policy.
3. Workers' Compensation and Employers' Liability as required by the State of Florida.
4. All policies must be issued by companies authorized to do business in the state and rated B1 + V1 or better per Best Key Rating Guide, latest edition.
5. The City of Apalachicola must receive 30 calendar days written notice prior to any cancellations, non-renewal or material change in the coverage provided.

The following list must be included with this application:

